

Message

From: Wilson, Jennifer [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DFD5F8786F6F49D7AB4C9C7AB817C2FD-JWILSO02]
Sent: 2/15/2018 5:07:15 PM
To: Korleski, Christopher [korleski.christopher@epa.gov]
Subject: RE: Wolverine: Please ADVISE

Sorry to call in a few minutes after the call started. I started working at 9:30 today and I didn't realize there was a meeting right away until after I read through some e-mails. I also had to drop off for a 10:00 A.M. call that I already had scheduled. I am reading through your other e-mail now.

From: Korleski, Christopher
Sent: Thursday, February 15, 2018 8:14 AM
To: Shoven, Heather <shoven.heather@epa.gov>
Cc: Harris, Kimberly <harris.kimberly@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Klassman, Debra <klassman.debra@epa.gov>
Subject: Re: Wolverine: Please ADVISE

Let's have a quick chat this morning with everyone on this e-mail

Sent from my iPhone

On Feb 15, 2018, at 7:21 AM, Shoven, Heather <shoven.heather@epa.gov> wrote:

Ex. 5 - Deliberative Process

Heather A. Shoven
Compliance and Enforcement Team Leader
Ground Water and Drinking Water Branch
U.S. Environmental Protection Agency, Region 5
(312) 886-0153